

Safety Data Sheet

Ultra Solv

SDS Revision Date:

09/19/2018

1. Identification 1.1. Product identifier Product Identity Ultra Solv Alternate Names 1.2. Relevant identified uses of the substance or mixture and uses advised against Intended use See Technical Data Sheet. Application Method See Technical Data Sheet. 1.3. Details of the supplier of the safety data sheet

Ultrachem Inc. 900 Centerpoint Blvd. New Castle, Delaware 19720 USA

Emergency CHEMTREC (USA) Customer Service: Ultrachem Inc.

(800) 424-9300 Phone:(302) 325-9880 Fax: (302) 325-0335

2. Hazard(s) identification

2.1. Classification of the substance or mixture

| Acute Tox. 4;H302 | Harmful if swallowed. |
|--------------------|--------------------------------------|
| Skin Irrit. 2;H315 | Causes skin irritation. |
| Eye Dam. 1;H318 | Causes serious eye damage. |
| Skin Sens. 1;H317 | May cause an allergic skin reaction. |
| | |

2.2. Label elements

Company Name

Using the Toxicity Data listed in section 11 and 12 the product is labeled as follows.



Danger

H302 Harmful if swallowed.

H315 Causes skin irritation.

H318 Causes serious eye damage.

H317 May cause an allergic skin reaction.

[Prevention]:

P261 Avoid breathing dust / fume / gas / mist / vapors / spray.

P264 Wash hands thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P272 Contaminated work clothing should not be allowed out of the workplace.

P280 Wear protective gloves / eye protection / face protection.

[Response]:

P301+310 IF SWALLOWED: Immediately call a POISON CENTER or doctor / physician.

P302+352 IF ON SKIN: Wash with plenty of soap and water.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remover contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISION CENTER or physician.

P313 Get medical advice / attention.

P321 Specific treatment (see information on this label).

P330 Rinse mouth.

P332+P313 If skin irritation or rash occurs: Get medical advice / attention

P362 Take off contaminated clothing.

P363 Wash contaminated clothing before reuse.

[Storage]:

No GHS storage statements

[Disposal]:

P501 Dispose of contents / container in accordance with local / national regulations.

3. Composition/information on ingredients

This product is considered a mixture.

This product contains the following substances that present a hazard within the meaning of the relevant State and Federal Hazardous Substances regulations.

| Ingredient/Chemical Designations | Weight % | GHS Classification | Notes |
|--|----------|--|-------|
| Distillates (petroleum), hydrotreated heavy naphthenic CAS Number: 0064742-52-5 | 25 - 50 | Not Classified | |
| Amines, N-tallow alkyltrimethylendedi-, propoxylated CAS Number: 0068603-75-8 | 10 - 25 | Acute Tox. 4;H302 Skin Corr. 1B;H314 Skin Sens. 1;H317 Aquatic Chronic 1;H410 | [1] |
| Alcohols, C9-11, ethoxylated CAS Number: 0068439-46-3 | 10 - 25 | Eye Dam. 1;H318 | [1] |
| Sulfonic acids, petroleum, calcium salts CAS Number: 0061789-86-4 | 1.0 - 10 | Not Classified | |

In accordance with paragraph (i) of §1910.1200, the specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret.

[1] Substance classified with a health or environmental hazard.

[2] Substance with a workplace exposure limit.

[3] PBT-substance or vPvB-substance.

*The full texts of the phrases are shown in Section 16.

4. First aid measures

4.1. Description of first aid measures

| General | In all cases of doubt, or when symptoms persist, seek medical attention. Never give anything by mouth to an unconscious person. |
|------------------------|--|
| Inhalation | Get medical attention immediately. Call a poison center or physician. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. |
| Eyes | Get medical attention immediately. Call a poison center or physician. Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Chemical burns must be treated promptly by a physician. |
| Skin | Get medical attention immediately. Call a poison center or physician. Wash with plenty of soap and water. Remove contaminated clothing and shoes. Wash contaminated clothing thoroughly with water before removing it, or wear gloves. Continue to rinse for at least 10 minutes. Chemical burns must be treated promptly by a physician. In the event of any complaints or symptoms, avoid further exposure. Wash clothing before reuse. Clean shoes thoroughly before reuse. |
| Ingestion | Get medical attention immediately. Call a poison center or physician. Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Chemical burns must be treated promptly by a physician. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. |
| 4.2. Most important sy | nptoms and effects, both acute and delayed |
| Inhalation | May give off gas, vapor or dust that is very irritating or corrosive to the respiratory system. |
| Eyes | Causes serious eye damage. Adverse symptoms may include the following: pain, watering and redness. |
| Skin | May cause an allergic skin reaction. Adverse symptoms may include the following: pain or irritation, redness and blistering may occur. |
| Ingestion | Harmful if swallowed. May cause burns to mouth, throat and stomach. Adverse symptoms may include the following: stomach pains. |

5. Fire-fighting measures

5.1. Extinguishing media

Use an extinguishing agent suitable for the surrounding fire.

5.2. Special hazards arising from the substance or mixture

In a fire or if heated, a pressure increase will occur and the container may burst.

Decomposition products may include the following materials: carbon dioxide and carbon monoxide.

Avoid breathing dust / fume / gas / mist / vapors / spray.

5.3. Advice for fire-fighters

In the event of fire, wear full protective clothing and NIOSH Approved Self-contained breathing apparatus with full face piece operated in the pressure demand or other positive pressure mode. Move container from fire area if it can be done without risk. Use water to keep fire exposed containers cool and disperse vapors.

ERG Guide No.

6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Do not breathe vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.

6.2. Environmental precautions

Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

Inform the relevant authorities if the product has caused environmental

6.3. Methods and material for containment and cleaning up

Small spill: Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

Large spill: Stop leak if without risk. Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

7. Handling and storage

7.1. Precautions for safe handling

Put on appropriate personal protective equipment (see Section 8). Persons with a history of skin sensitization problems should not be employed in any process in which this product is used. Do not get in eyes or on skin or clothing. Do not breathe vapor or mist. Do not ingest. If during normal use the material presents a respiratory hazard, use only with adequate ventilation or wear appropriate respirator. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous.

Do not reuse container.

7.2. Conditions for safe storage, including any incompatibilities

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Store locked up. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers.

Use appropriate containment to avoid environmental contamination.

7.3. Specific end use(s)

8. Exposure controls and personal protection

8.1. Control parameters

| Exposure | | | | | |
|---|---|----------------------|-----------------------------------|--|--|
| CAS No. | Ingredient | Source | Value | | |
| 0061789-86-4 Sulfonic acids, petroleum, calcium salts | OSHA | No Established Limit | | | |
| | | ACGIH | No Established Limit | | |
| | | NIOSH | No Established Limit | | |
| | | Supplier | No Established Limit | | |
| 0068439-46-3 | Alcohols, C9-11, ethoxylated | OSHA | No Established Limit | | |
| | | ACGIH | No Established Limit | | |
| | NIOSH | No Established Limit | | | |
| | | Supplier | No Established Limit | | |
| 0068603-75-8 Amines, N-tallow alkyltrimethylendedi-, propoxylated | OSHA | No Established Limit | | | |
| | ACGIH | No Established Limit | | | |
| | | NIOSH | No Established Limit | | |
| | | Supplier | No Established Limit | | |
| 0064742-52-5 | Distillates (petroleum), hydrotreated heavy | OSHA | TWA: 5 mg/m ³ 8 hours. | | |
| | naphthenic | ACGIH | TWA: 5 mg/m ³ 8 hours. | | |
| | | NIOSH | No Established Limit | | |
| | | Supplier | No Established Limit | | |

Carcinogen Data

| CAS No. | Ingredient | Source | e Value | |
|---|-------------------------------|--------------------------|--|--|
| 0061789-86-4 Sulfonic acids, petroleum, calcium | | OSHA | Select Carcinogen: No | |
| salts | NTP | Known: No; Suspected: No | | |
| | | IARC | Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No; | |
| 0068439-46-3 | Alcohols, C9-11, ethoxylated | OSHA | Select Carcinogen: No | |
| | NTP | Known: No; Suspected: No | | |
| | | IARC | Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No; | |
| 0068603-75-8 | Amines, N-tallow | OSHA | Select Carcinogen: No | |
| alkyltrimethylendedi-, propoxylated | NTP | Known: No; Suspected: No | | |
| | | IARC | Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No; | |
| 0064742-52-5 | Distillates (petroleum), | OSHA | Select Carcinogen: No | |
| hydrotreated heavy | hydrotreated heavy naphthenic | NTP | Known: No; Suspected: No | |
| | | IARC | Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No; | |

8.2. Exposure controls

Respiratory

If a risk assessment indicates this is necessary, use a properly fitted, air-purifying or airfed respirator complying with an approved standard. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

| Eyes | Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. Recommended: splash goggles |
|----------------------|--|
| Skin | Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. |
| Hands | Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. |
| Engineering Controls | If user operations generate dust, fumes, gas, vapor or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits. |
| Other Work Practices | Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location. Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels. |

9. Physical and chemical properties

| Appearance | Not Measured |
|--|--|
| Odor | Mild |
| Odor threshold | Not Measured |
| рН | Not Measured |
| Melting point / freezing point | Not Measured |
| Pour Point | Not Measured |
| Initial boiling point and boiling range | Not Measured |
| Flash Point | 149C / 300F |
| Evaporation rate (Ether = 1) | Not Measured |
| Flammability (solid, gas) | Not Applicable |
| Upper/lower flammability or explosive limits | Lower Explosive Limit: Not Measured |
| | |
| | Upper Explosive Limit: Not Measured |
| Vapor pressure (Pa) | Upper Explosive Limit: Not Measured Not Measured |
| | |
| Vapor pressure (Pa) | Not Measured |
| Vapor pressure (Pa) Vapor Density | Not Measured Not Measured |
| Vapor pressure (Pa) Vapor Density Specific Gravity | Not Measured Not Measured 0.92 |
| Vapor pressure (Pa) Vapor Density Specific Gravity Solubility in Water | Not Measured Not Measured 0.92 Not Measured |
| Vapor pressure (Pa) Vapor Density Specific Gravity Solubility in Water Partition coefficient n-octanol/water (Log Kow) | Not Measured Not Measured 0.92 Not Measured Not Measured |
| Vapor pressure (Pa) Vapor Density Specific Gravity Solubility in Water Partition coefficient n-octanol/water (Log Kow) Auto-ignition temperature | Not Measured Not Measured 0.92 Not Measured Not Measured Not Measured |
| Vapor pressure (Pa) Vapor Density Specific Gravity Solubility in Water Partition coefficient n-octanol/water (Log Kow) Auto-ignition temperature Decomposition temperature | Not Measured Not Measured 0.92 Not Measured Not Measured Not Measured |

No other relevant information.

10. Stability and reactivity

10.1. Reactivity

Hazardous Polymerization will not occur.

10.2. Chemical stability

Stable under normal circumstances.

10.3. Possibility of hazardous reactions

Under normal conditions of storage and use, hazardous reactions will not occur.

10.4. Conditions to avoid

None known.

10.5. Incompatible materials

Extremely reactive or incompatible with the following materials: oxidizing materials and acids.

10.6. Hazardous decomposition products

None under normal use.

10.7 Storage

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Store locked up. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

11. Toxicological information

Acute toxicity

Product is safe for intended use based on the formulation, testing results and the long history of safe consumer use.

| Ingredient | ACGIH | IARC | EPA | NIOSH | NTP | OSHA |
|---|----------------|-----------|-----------|-----------|-----------|-----------|
| Distillates (petroleum), hydrotreated heavy naphthenic - (64742-52-5) | Oral Category: | No data |
| | 4A | available | available | available | available | available |
| Amines, N-tallow alkyltrimethylendedi-, | No data | No data | No data | No data | No data | No data |
| propoxylated - (68603-75-8) | available | available | available | available | available | available |
| Alcohols, C9-11, ethoxylated - (68439-46-3) | No data | No data | No data | No data | No data | No data |
| | available | available | available | available | available | available |
| Sulfonic acids, petroleum, calcium salts - (61789-86-4) | No data | No data | No data | No data | No data | No data |
| | available | available | available | available | available | available |

Note: When no route specific LD50 data is available for an acute toxin, the converted acute toxicity point estimate was used in the calculation of the product's ATE (Acute Toxicity Estimate).

| Classification | Category | Hazard Description |
|-----------------------------|----------|-------------------------|
| Acute toxicity (oral) | 4 | Harmful if swallowed. |
| Acute toxicity (dermal) | | Not Applicable |
| Acute toxicity (inhalation) | | Not Applicable |
| Skin corrosion/irritation | 2 | Causes skin irritation. |

| Serious eye damage/irritation | 1 | Causes serious eye damage. |
|-------------------------------|---|--------------------------------------|
| Respiratory sensitization | | Not Applicable |
| Skin sensitization | 1 | May cause an allergic skin reaction. |
| Germ cell mutagenicity | | Not Applicable |
| Carcinogenicity | | Not Applicable |
| Reproductive toxicity | | Not Applicable |
| STOT-single exposure | | Not Applicable |
| STOT-repeated exposure | | Not Applicable |
| Aspiration hazard | | Not Applicable |

12. Ecological information

12.1. Toxicity

Harmful to aquatic organisms.

Aquatic Ecotoxicity

| Ingredient | 96 hr LC50 fish, mg/l | 48 hr EC50 crustacea, mg/l | ErC50 algae, mg/l |
|---|--------------------------|-------------------------------|----------------------|
| Distillates (petroleum), hydrotreated heavy naphthenic - (64742-52-5) | Not Available | Not Available | Not Available |
| Amines, N-tallow alkyltrimethylendedi-, propoxylated - (68603-75-8) | Not Available | Not Available | Not Available |
| Alcohols, C9-11, ethoxylated - (68439-46-3) | Not Available | Not Available | Not Available |
| Sulfonic acids, petroleum, calcium salts - (61789-86-4) | Not Available | Not Available | Not Available |

12.2. Persistence and degradability

There is no data available on the preparation itself.

12.3. Bioaccumulative potential

Not Measured

12.4. Mobility in soil

No data available.

12.5. Results of PBT and vPvB assessment

This product contains no PBT/vPvB chemicals.

12.6. Other adverse effects

No data available.

13. Disposal considerations

13.1. Waste treatment methods

The generation of waste should be avoided or minimized wherever possible. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe way. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any byproducts should at all times comply with the requirements of environmental protection and waste disposal

legislation and any regional local authority requirements. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

| 14. Transport information | | | | | | |
|-------------------------------------|--|---|---------------------------|--|--|--|
| | DOT (Domestic Surface Transportation) | IMO / IMDG (Ocean Transportation) | ICAO/IATA | | | |
| 14.1. UN number | Not Applicable | Not Regulated | Not Regulated | | | |
| 14.2. UN proper shipping name | Not Regulated | Not Regulated | Not Regulated | | | |
| 14.3. Transport hazard class(es) | DOT Hazard Class: Not Applicable | IMDG: Not Applicable Sub Class: Not Applicable | Air Class: Not Applicable | | | |
| 14.4. Packing group | Not Applicable | Not Applicable | Not Applicable | | | |
| 14.5. Environmental hazards | | | | | | |
| IMDG Ma | IMDG Marine Pollutant: No | | | | | |
| 14.6. Special precautions for user | | | | | | |
| | | | | | | |

15. Regulatory information

| Regulatory Overview | The regulatory data in Section 15 is not intended to be all-inclusive, only selected regulations are represented. |
|--|---|
| Toxic Substance Control Act (TSCA) | All components of this material are either listed or exempt from listing on the TSCA Inventory. |
| WHMIS Classification | D2B |
| US EPA Tier II Hazards | Fire: No |
| Sudden Release of Pressure: No | |

Reactive: No

Immediate (Acute): Yes

Delayed (Chronic): Yes

EPCRA 311/312 Chemicals and RQs:

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

EPCRA 302 Extremely Hazardous:

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

EPCRA 313 Toxic Chemicals:

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

Proposition 65 - Carcinogens (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

Proposition 65 - Developmental Toxins (>0.0%):

No further information

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

Proposition 65 - Female Repro Toxins (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

Proposition 65 - Male Repro Toxins (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

New Jersey RTK Substances (>1%) :

MINERAL OIL (UNTREATED and MILDLY TREATED)

Pennsylvania RTK Substances (>1%) :

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

16. Other information

The information and recommendations contained herein are based upon data believed to be correct. However, no guarantee or warranty of any kind, expressed or implied, is made with respect to the information contained herein. We accept no responsibility and disclaim all liability for any harmful effects which may be caused by exposure to our products. Customers/users of this product must comply with all applicable health and safety laws, regulations, and orders.

The full text of the phrases appearing in section 3 is:

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H410 Very toxic to aquatic life with long lasting effects.

This is the first version in the GHS SDS format. Listings of changes from previous versions in other formats are not applicable.

The information provided on the SDS is a correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

End of Document